# Effects of Piping Plover Nesting Habitat and Parental Supervision on the Survival of Chicks

Amy Mahon Mentor- Kathleen Uvino, PhD



 Piping Plovers are one of the most endangered birds on the East Coast of North America in the 21st century

 population decreased to about 800 pairs


Hypothesis: Plover's attendance rates would decrease due to the general public on the beach.

#### What is a Plover?

- Inhabits coastal beaches
- Within NY- Long Island, Queens, Hamptons,
- eastern bays, and harbors of northern Suffolk County
- Nest b/w late March and early April

- In 1986, Plovers were enlisted as an endangered species.
- reasons- coastal development, recreational activities, and disturbance of vehicles





### Locality



## Materials

Materials	Quantity	Function	
Paint stirs	20	markers for the bird's nests	
Camera	1	Still images of birds throughout project	
Plover Hatch/fledge date poster	1	Mandates dates of observation	
Journal	1	Records data	
GPS	1	Coordinates of the designated Plover's nest	
Pink Markers	10	Marks area of observation	

Nest #	Plover Att.	Eggs Hatched	Chicks Fledged	Productivity Rate
1	1.5	2	2	2
2	2	2	1	1.5
3	2	3	2	1.5
4	2	2	1	1
5	2	3	3	3
6	1.5	1	0	0
7	2	3	2	1.5
8	1	2	2	2
9	2	4	3	2.5
10	1.5	3	3	3
Avg	1.75	2.5	1.9	1.8

- •No sort of pattern amongst plover attendance /chicks fledged.
- •90 percent of birds produced at least two eggs.
- •Only 70 percent of over half fledged

- •Productivity rate =Plover attendance.
- •productivity rates & chicks fledged that this year's groupings were high.

#### Analysis


- birds probably had scarce interaction with each other.
- birds were flying in from diff. areas, and did not carry similar habits.
- In a 2012 NPS Fire Island productivity rate- 1.25
- Productivity Rate Breezy Pt.-1.8
- In a 2012 NPS Fire Island -15 birds
- Productivity Rate Breezy Pt.-19 birds



#### Conclusions

- there is little evidence to go off of to affirm the effects on the environment. baby chicks & their survival rate.
- find reasons why there is a varied presence of adult Plovers throughout the nest population

- eventually lead to a conclusion w. the environment,
- allow us to propose a plan to conserve the birds more efficiently and safely.



Here is a baby chick for your viewing pleasure.

## Bibliography

- 1. Le Fer, D., Fraser, J., & Kruse, C. (2008) Piping Plover Chick Foraging, growth, and survival in the Great Plains, *Management and Conservation*, 72(3), 682-687
- 2. Piping Plover Fact Sheet (2011) Retrieved from http://http://www.dec.ny.gov/animals/7086.html
- 3. Doherty, P., & Heath, J. (2011) Factors affecting Piping Plover hatching success on Long Island, NY. *Journal of Wildlife Management*, 75(1), 109-115
- 4. Winifred E. Cairns, The Wilson Bulletin Vol. 94(4) (Dec. 1982), pp. 531-545
- 5. Goldin, M. & Reosin, J. (2012) Chick Behavior, habitat use, and reproductive success of piping plovers at Goosewing beach, Rhode Island. *Journal of Field Ornithology*, 69(2), 228-234
- 6. Placyk Jr, J.S. & Harrington, B.A (2004) Prety Abundance and Habitat Use by Migratory Shorebirds at Coastal Stopover Sites. *Journal of Field Ornithology*, 75(3), 223-231.
- 7. Hartman C., & Oring, L. (2006) An Inexpensive Method for Remotely Monitoring Nest Activity, *Journal of Field Ornithology*, 77(4), 418-424
- With Acknowledgements:
- -Dr. Kathleen Uvino, PhD. Mentor and advisor of project
- -Mauricio Gonzalez, Advisor and MBRP professor
- -Tony S., National Park Ranger and Founder of Conservation Project